

## PANASONIC KV-S1037 SERIES COMPACT SCANNERS

Space-saving scanning

Wide-reaching versatility

Network capability\*

The KV-S1037 Series compact scanners deliver premium performance and space-saving design in abundance, offering scanning versatility that outdoes anything else in this scanning category.

Because of the space-saving design, the KV-S1037 Series provide you the freedom to use the limited space in your office as flexible as possible and still have a high performer in place. Thanks to the 30 ppm speed and the unmatched versatility which includes ID cards, medical scripts and unlimited long-paper capability, your working efficiency is always secure. Only once every 100.000 pages you need to replace the rollers to ensure the highest reliability. If a network connection is your wish, then choose the X model out of our series. It comes with both cabled as Wi-Fi network support.

\*Only KV-S1037X

### FEATURES:

- Both models in the series - the KV-S1037 and KV-S1037X - can achieve scanning speeds of up to 30ppm/60ipm @300dpi in colour
- Compact body design means the scanners fit comfortably into the smallest of spaces on reception or office desks and in customer service areas
- Uniquely in this class of scanner, the KV-S1037 Series offers passport scanning

• They can also handle documents weighing anything between 20-413gsm

• Daily Duty Cycle 3.000 sheets

|                                     |   |
|-------------------------------------|---|
| Scanning Face                       | Duplex  |
| Scanning Method                     | 1 line colour CIS (300 dpi/600 dpi), Background: Black  |
| Scanning Resolution*1               | 100 dpi - 600 dpi (1 dpi step) and 1,200 dpi (interpolated)<br>Optical: 300/600 dpi (Automatic switch)  |
| Scanning Speed*2                    | Simplex: 30 ppm, Duplex: 60 ipm   |
| A4/Letter                           | 3,000 sheets  |
| Binary/Colour<br>(200 dpi, 300 dpi) | Ultrasonic (The length of documents that can be detected is 70 mm (2.8 in.) or more.)   |
| Daily Duty Cycle                    | MH, MMR, JPEG, JPEG2000   |
| Double-Feed Detection               | Dither, Error Diffusion   |
| Image Compression                   | Manual feeding: 48 mm x 54 mm - 216 mm x unlimited (Long paper mode)*3  |
| Binary Mode Half-tone               | Automatic feeding: 48 mm 54 mm - 216 mm 356 mm  |
| ADF Document Size                   | Paper: 0.04 mm - 0.5 mm<br>Passport*4: 3.0 mm   |
| Thickness                           | ISO format card: 0.76 mm Embossed card up to 1.24 mm<br>20 g/m - 413 g/m  |
| Weight                              | 50 sheets (80 g/m High-quality woodfree paper) <sup>5</sup>   |
| Feed Tray Capacity                  | Windows Vista® SP2 (32 bit/64 bit)  |
| Supported Operating System          | Windows® 7 (32 bit/64 bit), Windows 8 (32 bit/64 bit)<br>Windows 8.1 (32 bit/64 bit), Windows 10 (32 bit/64 bit)<br>Windows Server® 2003 SP2 (32 bit/64 bit)<br>Windows Server® 2003 R2 SP2 (32 bit/64 bit)<br>Windows Server® 2008 SP2 (32 bit/64 bit)<br>Windows Server® 2008 R2 SP1 (64 bit)<br>Windows Server® 2012 (64 bit), Windows Server® 2016 (64 bit) |
| Interface                           | USB 3.1 Gen1 (backward compatible)      USB 3.1 Gen1 (backward compatible)<br>LAN (10Base-T/100Base-TX/1000Base-T)<br>Wireless LAN  |
| External Dimensions (W X D X H)     | 303 mm 177 mm 137 mm  |
| Weight                              | 2.7 kg  |
| Power Requirement*6                 | AC 100 - 240 V, 50/60 Hz  |
| Power Consumption                   | 25 W or less  |
| Maximum (Scanning)                  | 6 W or less   |
| Minimum (Ready)                     | 1.6 W or less   |
| Sleep                               | 0.3 W or less   |
| Power Off                           |   |
| Operating Environment               | Temperature: 5 °C - 35 °C<br>Humidity: 20 % - 80 % RH   |
| Storage Environment                 | Temperature: -10 °C - 50 °C<br>Humidity: 8 % - 75 % RH  |
| Accessories                         | CD-ROM: Device driver, ISIS driver software, TWAIN driver software, User utility, Scan Button Setting Tool, Image Capture Plus, Operating Manual, Control sheet<br>Quick Installation Guide, Power cord, AC adaptor, 1.5 m USB cable (USB 3.1), Mixed batch card guide, Shading paper, Guidance sticker, Correction sticker                                     |
| Options                             | Options Flatbed Scanner: KV-SS081, Roller exchange kit: KV-SS058, Roller cleaning paper: KV-SS03, Carrier sheet: KV-SS077   |

\* Please note that the KV-S1037X will be available Beginning of 2018

\*1 When scanning a document larger than A5 size at resolutions over 600 dpi, the scanning may fail due to insufficient memory.

\*2 The scanning speed differs depending on the host computer, the operating system, the application, the measuring method, the quantity of data in the image, and the paper type. The scanning speed depends on a measuring method of Panasonic.

\*3 "Long paper" mode - the images will be split into sizes determined by the "Paper Size setting".

\*4 Use the carrier sheet (KV-SS077) to scan passport. Depending on the condition (operating environment, dirt, scratches, etc.) of the carrier sheet or passport, the image processing function may not work properly. Scan beforehand to confirm the scanned image.

\*5 Depending on the paper type or operating environment (temperature, humidity, etc.), the unit may not feed the documents properly. When paper weight is more than 209 g/m<sup>2</sup>: 5 sheets (A4, High-quality woodfree paper). When installed the mixed batch card guide: 20 sheets (80 g/m<sup>2</sup> High-quality woodfree paper).

\*6 The power requirement differs depending on the country/area.

#### Trademarks and registered trademarks

- ENERGY STAR and the ENERGY STAR mark are registered U.S. marks.

- ISIS is a registered trademark or trademark of EMC Corporation in the United States and other countries.

- Windows, Windows Vista and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

- All other brand or product names are the property of their respective holders.

This product is designed to reduce hazardous chemical substances in accordance with the RoHS directive.

- All photographs in this brochure are simulated.
- Weights and dimensions are approximate.
- Specifications are subject to change without notice.
- These products may be subject to export control regulations.

